Small & Light-Load Assembly Automation ISO Class 4 Approved for Cleanrooms

Efficient, Non-Contact Zoning

Clean, Open Roller Design



ERT 150

Edge Roller Technology

Precision Edge Roller Pallet & Tray Handling Conveyors





ERT150 Conveyors are best for:

- Pallet & Tray Handling
- No & Low Back Pressure Accumulation
- Cleanroom Applications
- Small and Light-Load Assembly Automation
- Medical Product Manufacturing
- Packaging

- Medical Device Manufacturing
- Electronic & Consumer Goods Assembly

Sizes & Measurements

- Width from 80 mm to 480 mm
- Lengths from 128 mm to 2432 mm (in 64 mm increments)
- 24 mm diameter rollers on 32 mm centers

Slip & Driven Rollers







Slip Roller


Loads & Speeds

- . Loads: up to 16 kg (35 lbs) per pallet or tray
- Speeds: up to 37 m/min (121 ft/min)



Slide Rail Options

Aluminum frame with two T-slot options



T-slot Rail



Flush Side Rail (Cleanroom)

Pallets

- 160 mm to 320 mm pallets
- . Static conductive HPDE skirt
- Proximity sensor pick-up on side and bottom
- Dimensionally compatible with industry standards



Modules



Lift & Locate



Turn & Transfer



Lift & Rotate



Pallet Pusher



Lift & Transfer



Pallet Stops

INDUSTRY LEADING TECHNOLOGY



Zone & Slip Roller Technology

- Non-contact zone control provides simplified traffic control, eliminating pallet stops and costly pneumatic valves
- Low back pressure slip rollers can be used for full length with conventional pneumatic pallet stops
- Individual rollers can be replaced if damaged without affecting the remaining portion of the conveyor
- No belts, reducing product contact and debris



Easily Reconfigurable

- Gears and drive shaft can be repositioned in the field
- Lower gears can be removed and gearmotor added to create new zones
- The drive shaft can be moved to any roller zone



Patent Pending Gearbox Drive Design

- Durable, patent pending linear gearbox design provides a robust and flexible method of driven rollers
- Brushless DC gearmotors and controllers
- · Reversible motors for assembly automation
- 50 watt, 3.5 amp, low voltage brushless DC motors are used to save space and provide improved efficiency
- All motor controllers are Ethernet IP, Modbus TCP or PROFINET for ease of control logic, wiring and communication



The Benefits of a Dorner ERT®150 Conveyor

Industry Ready

- · Reliable and adaptable edge roller platform for the conveyance of medical and cleanroom-based product assembly
- Versatile and durable low back pressure platform for the conveyance of appliance, electronics, automotive and consumer goods product assembly
- Open drive roller design with aluminum frames
- ISO Class 4 approved for cleanroom applications

Simple & Effective Design

- · Non-contact zoning and/or slip roller accumulation capability
- Patent pending linear gearbox technology
- · Designed for configuration and modifications in the field
- Variety of automation modules for product traffic control


Safe & Efficient

- Non-jamming; open drive rollers reduce pinch points
- Low-voltage motors are designed to reduce power consumption

Industrial & Automation Conveyors









Sanitary Conveyors





Engineered Solutions













Parts

Service

Online Configurator

Warranty

Transforming Conveyor Automation

Dorner - North & South America

Dorner - U.S.A. **Headquarters**

975 Cottonwood Ave Hartland, WI 53029, USA (800) 397-8664 (262) 367-7600 info@dorner.com

Dorner - Canada

100-5515 North Service Road Burlington, Ontario L7L 6G6 Canada (289) 208-7306 info@dorner.com

Dorner - Latin America

Carretera a Nogales #5297, Nave 11. Parque Industrial Nogales Zapopan, Jalisco C.P. 45222 Mexico +52.33.30037400

info.latinamerica@dorner.com











Dorner – Europe

Dorner – Germany

Karl-Heinz-Beckurts-Straße 7 52428 Jülich, Germany +49 (0) 2461/93767-0

Dorner – France

8 rue des Frères Caudron 78140 Velizy-Villacoublay +33 (0)1 84 73 24 27 info.france@dorner.com

Dorner - Asia

info.europe@dorner.com

128 Jalan Permatang Damar Laut, Bayan Lepas 11960 Penang, Malaysia

+604-626-2948 | info.asia@dorner.com